



STATE OF MISSISSIPPI

PHIL BRYANT
GOVERNOR

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

TRUDY D. FISHER, EXECUTIVE DIRECTOR

March 23, 2012

Certified Mail No. 7011 3500 0000 3106 4232
Mr. Michael F. McNair
Regulatory Branch Chief
U.S. Army Corps of Engineers, Vicksburg District
4155 Clay Street
Vicksburg, Mississippi 39183-3435

Dear Mr. McNair:

Re: U.S. Army Corps of Engineers
Nationwide Permit No. 18
COE No. MVK-2012-196
WQC No. WQC2012028

Pursuant to Section 401 of the Federal Water Pollution Control Act (33 U. S. C. 1251, 1341), the Office of Pollution Control (OPC) issues this Certification, after public notice and opportunity for public hearing, to the U.S. Army Corps of Engineers, an applicant for a Federal License or permit to conduct the following activity:

U.S. Army Corps of Engineers, Nationwide Permit No. 18, Minor Discharges: Nationwide Permits are general permits issued on a nationwide basis to streamline the authorization of activities that result in minimal individual and cumulative adverse effects on the aquatic environment. The U.S. Army Corps of Engineers issues nationwide permits to authorize certain activities that require Department of the Army permits under Section 404 of the Clean Water Act and/or section 10 of the Rivers and Harbors Act of 1899.

Nationwide Permit No. 18 – Minor Discharges authorizes minor discharges of dredged or fill material into all waters of the United States, provided the activity meets all of the following criteria:

- (a) The quantity of discharged material and the volume of area excavated do not exceed 25 cubic yards below the plane of the ordinary high water mark or the high tide line;
- (b) The discharge will not cause the loss of more than 1/10-acre of waters of the United States; and

24319 WQC20120018

OFFICE OF POLLUTION CONTROL

POST OFFICE BOX 2261 • JACKSON, MISSISSIPPI 39225-2261 • TEL: (601) 961-5171 • FAX: (601) 354-6612 • www.deq.state.ms.us

AN EQUAL OPPORTUNITY EMPLOYER

04-02-12 P 12:46

(c) The discharge is not placed for the purpose of a stream diversion.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if: (1) The discharge or the volume of area excavated exceeds 10 cubic yards below the plane of the ordinary high water mark or the high tide line, or (2) the discharge is in a special aquatic site, including wetlands [MVK-2012-196, WQC2012028].


The Office of Pollution Control certifies that the above-described activity will be in compliance with the applicable provisions of Sections 301, 302, 303, 306, and 307 of the Federal Water Pollution Control Act and Section 49-17-29 of the Mississippi Code of 1972, if the applicant complies with the following conditions:

1. The permittee shall obtain appropriate wastewater permits and/or approvals for the proposed activity prior to the commencement of construction activities.
2. For discharges of dredged or fill materials associated with the construction of a residence or place where people are employed or congregate, the activity must permanently maintain a no-fill buffer zone between any construction activity and any waterbody. The minimum buffer zone for the subject parcel is defined as 15% of the parcel depth. The parcel depth is defined as the maximum length of a line extending from the Ordinary High Water Mark (OHWM) and/or top bank or High Tide Line (HTL) to the opposite property boundary. In cases of an asymmetrical parcel, the Parcel Depth will be measured as the maximum length of a line extending from OHWM or HTL to the junction of two landward property boundaries. The buffer zone shall be measured as the distance between the edge of the construction activity and the top bank of the adjacent water body or HTL.
3. For projects greater than five acres of total ground disturbances including clearing, grading, excavating or other construction activities, the applicant shall obtain the necessary coverage under the State of Mississippi's Large Construction Storm Water General NPDES Permit. For projects greater than one to less than five acres of total ground disturbances including clearing, grading, excavating or other construction activities, the applicant shall follow the conditions and limitations of the State of Mississippi's Small Construction Storm Water General NPDES Permit. No construction activities shall begin until the necessary approvals and/or permits have been obtained.
4. No sewage, oil, refuse, or other pollutants shall be discharged into the watercourse.
5. The turbidity outside the limits of a 750-foot mixing zone shall not exceed the ambient turbidity by more than 50-Nephelometric Turbidity Units.

The Office of Pollution Control also certifies that there are no limitations under Section 302 nor standards under Sections 306 and 307 of the Federal Water Pollution Control Act which are applicable to the applicant's above-described activity.

This certification is valid for the project as proposed. Any deviations without proper modifications and/or approvals may result in a violation of the 401 Water Quality Certification. If we can be of further assistance, please contact us.

Sincerely,



Harry M. Wilson, P.E., DEE
Chief, Environmental Permits Division

HMW: cb

cc: U.S. Army Corps of Engineers, Mobile District
Attn: Mr. Craig Litteken, Regulatory Branch Chief
U.S. Army Corps of Engineers, Memphis District
Attn: Mr. Tim H. Flinn, Acting Regulatory Branch Chief
U.S. Army Corps of Engineers, Nashville District
Attn: Mr. Brad Bishop, Western Regulatory Section Chief
Mr. Jan Boyd, Department of Marine Resources
Ms. Kathy Lunceford, U.S. Fish and Wildlife Service
Mr. William Cox, Environmental Protection Agency