



STATE OF MISSISSIPPI

PHIL BRYANT
GOVERNOR

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

TRUDY D. FISHER, EXECUTIVE DIRECTOR

March 23, 2012

Certified Mail No. 7011 3500 0000 3106 4485
Mr. Michael F. McNair
Regulatory Branch Chief
U.S. Army Corps of Engineers, Vicksburg District
4155 Clay Street
Vicksburg, Mississippi 39183-3435

Dear Mr. McNair:

Re: U.S. Army Corps of Engineers
Nationwide Permit No. 41
COE No. MVK-2012-196
WQC No. WQC2012050

Pursuant to Section 401 of the Federal Water Pollution Control Act (33 U. S. C. 1251, 1341), the Office of Pollution Control (OPC) issues this Certification, after public notice and opportunity for public hearing, to the U.S. Army Corps of Engineers, an applicant for a Federal License or permit to conduct the following activity:

U.S. Army Corps of Engineers, Nationwide Permit No. 41, Reshaping Existing Drainage Ditches: Nationwide Permits are general permits issued on a nationwide basis to streamline the authorization of activities that result in minimal individual and cumulative adverse effects on the aquatic environment. The U.S. Army Corps of Engineers issues nationwide permits to authorize certain activities that require Department of the Army permits under Section 404 of the Clean Water Act and/or section 10 of the Rivers and Harbors Act of 1899.

Nationwide Permit No. 41 – Reshaping Existing Drainage Ditches authorizes discharges of dredged or fill material into non-tidal waters of the United States, excluding non-tidal wetlands adjacent to tidal waters, to modify the cross-sectional configuration of currently serviceable drainage ditches constructed in waters of the United States, for the purpose of improving water quality by regrading the drainage ditch with gentler slopes, which can reduce erosion, increase growth of vegetation, and increase uptake of nutrients and other substances by vegetation. The reshaping of the ditch cannot increase drainage capacity beyond the original as-built capacity nor can it expand the area drained by the ditch as originally constructed (i.e., the capacity of the ditch must be the

24319 WQC20120040

OFFICE OF POLLUTION CONTROL

POST OFFICE BOX 2261 • JACKSON, MISSISSIPPI 39225-2261 • TEL: (601) 961-5171 • FAX: (601) 354-6612 • www.deq.state.ms.us

04-02-12 P01:01 IN

AN EQUAL OPPORTUNITY EMPLOYER

same as originally constructed and it cannot drain additional wetlands or other waters of the United States). Compensatory mitigation is not required because the work is designed to improve water quality.

This NWP does not authorize the relocation of drainage ditches constructed in waters of the United States; the location of the centerline of the reshaped drainage ditch must be approximately the same as the location of the centerline of the original drainage ditch. This NWP does not authorize stream channelization or stream relocation projects.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity, if more than 500 linear feet of drainage ditch will be reshaped [MVK-2012-196, WQC2012050].

The Office of Pollution Control certifies that the above-described activity will be in compliance with the applicable provisions of Sections 301, 302, 303, 306, and 307 of the Federal Water Pollution Control Act and Section 49-17-29 of the Mississippi Code of 1972, if the applicant complies with the following conditions:

1. The side slopes of banks and spoil disposal areas shall be 3:1 (horizontal:vertical) or flatter.
2. This NWP shall apply to created ditches only. No impacts to naturalized streams shall be allowed.
3. This NWP shall not authorize the modification of more than 500 linear feet of existing serviceable drainage ditches constructed in non-tidal waters.
4. Buffer zones shall be 25 feet minimum from top of drainage ditch.
5. Spoil disposal area shall be discontinuous and immediately seeded and stabilized to prevent the movement of sediment off-site and into adjacent drainage areas.
6. Work shall be conducted from one side of the waterbody only, where possible.
7. Large trees on the work side shall be avoided where possible.
8. Banks shall be immediately seeded and stabilized upon completion of construction.
9. For projects greater than five acres of total ground disturbances including clearing, grading, excavating or other construction activities, the applicant shall obtain the necessary coverage under the State of Mississippi's Large Construction Storm Water General NPDES Permit. For projects greater than one to less than five acres of total ground disturbances including clearing, grading, excavating or


other construction activities, the applicant shall follow the conditions and limitations of the State of Mississippi's Small Construction Storm Water General NPDES Permit. No construction activities shall begin until the necessary approvals and/or permits have been obtained.

10. No sewage, oil, refuse, or other pollutants shall be discharged into the watercourse.
11. The turbidity outside the limits of a 750-foot mixing zone shall not exceed the ambient turbidity by more than 50 Nephelometric Turbidity Units.

The Office of Pollution Control also certifies that there are no limitations under Section 302 nor standards under Sections 306 and 307 of the Federal Water Pollution Control Act which are applicable to the applicant's above-described activity.

This certification is valid for the project as proposed. Any deviations without proper modifications and/or approvals may result in a violation of the 401 Water Quality Certification. If we can be of further assistance, please contact us.

Sincerely,



Harry M. Wilson, P.E., DEE
Chief, Environmental Permits Division

HMW: cb

cc: U.S. Army Corps of Engineers, Mobile District
Attn: Mr. Craig Litteken, Regulatory Branch Chief
U.S. Army Corps of Engineers, Memphis District
Attn: Mr. Tim H. Flinn, Acting Regulatory Branch Chief
U.S. Army Corps of Engineers, Nashville District
Attn: Mr. Brad Bishop, Western Regulatory Section Chief
Mr. Jan Boyd, Department of Marine Resources
Ms. Kathy Lunceford, U.S. Fish and Wildlife Service
Mr. William Cox, Environmental Protection Agency